

## Square Opening Space Cloth

Opening Width	Wire Diameter	Gauge	Weight Lb/Sq. Ft.	% Open Space to Area	Opening Width	Wire Diameter	Gauge	Weight Lb/Sq. Ft.	% Open Space to Area
7"	1"		8.00	76.6	3"	3/4"		9.79	64.0
(7.000")	3/4"		4.80	81.6	(3.000")	<b>5/8"</b>		<b>7.00</b>	<b>68.5</b>
	5/8"		3.31	84.3		<b>1/2"</b>		<b>4.62</b>	<b>73.5</b>
	1/2"		2.32	87.1		7/16"		3.59	76.2
6 - 1/2"	1"		8.58	75.1		<b>3/8"</b>		<b>2.68</b>	<b>79.0</b>
(6.500")	3/4"		5.10	80.4		5/16"		1.90	82.0
	5/8"		3.57	83.2		.244"	#3	1.23	85.5
	1/2"		2.38	86.2		.192"	#6	.74	88.3
6"	1"		9.16	73.5	2 - 3/4"	3/4"		10.52	61.7
(6.000")	<b>3/4"</b>		<b>5.37</b>	<b>79.0</b>	(2.750")	5/8"		7.54	66.4
	5/8"		3.92	82.0		1/2"		4.98	71.6
	1/2"		2.54	85.2		7/16"		3.88	74.4
5 - 1/2"	1"		9.92	71.6		3/8"		2.90	77.4
(5.500")	3/4"		5.84	77.4		5/16"		2.05	80.6
	5/8"		4.27	80.6		.244"	#3	1.34	84.4
	1/2"		2.77	84.0	2 - 1/2"	3/4"		11.37	59.2
5"	1"		10.67	69.4	(2.500")	5/8"		8.16	64.0
(5.000")	3/4"		6.30	75.6		<b>1/2"</b>		<b>5.40</b>	<b>69.4</b>
	5/8"		4.61	79.0		7/16"		4.22	72.4
	<b>1/2"</b>		<b>2.98</b>	<b>82.6</b>		<b>3/8"</b>		<b>3.16</b>	<b>75.6</b>
4 - 1/2"	1"		11.65	66.9		5/16"		2.24	79.0
(4.500")	3/4"		6.90	73.5		.244"	#3	1.46	83.0
	5/8"		4.96	77.1		.225"	#4	1.19	84.2
	1/2"		3.28	81.0	2 - 1/4"	3/4"		12.37	56.2
4"	1"		13.06	64.0	(2.250")	5/8"		8.90	61.2
(4.000)	3/4"		7.68	70.9		1/2"		5.91	66.9
	<b>5/8"</b>		<b>5.46</b>	<b>74.8</b>		7/16"		4.62	70.1
	<b>1/2"</b>		<b>3.58</b>	<b>79.0</b>		<b>3/8"</b>		<b>3.46</b>	<b>73.5</b>
	7/16"		2.77	81.3		5/16"		2.46	77.1
	3/8"		2.07	83.6		.244"	#3	1.61	81.4
	5/16"		1.45	86.0		.225"	#4	1.31	82.6
	.244"	#3	.94	88.8		.207"	#5	1.12	83.9
3 - 3/4"	3/4"		8.11	69.4	2"	3/4"		13.57	52.9
(3.750")	5/8"		5.77	73.5	(2.000")	5/8"		9.79	58.0
	1/2"		3.79	77.9		<b>1/2"</b>		<b>6.53</b>	<b>64.0</b>
	7/16"		2.94	80.2		<b>7/16"</b>		<b>5.11</b>	<b>67.3</b>
	3/8"		2.19	82.6		<b>3/8"</b>		<b>3.84</b>	<b>70.9</b>
	5/16"		1.54	85.2		<b>5/16"</b>		<b>2.73</b>	<b>74.8</b>
	.244"	#3	1.00	88.2		.244"	#3	1.79	79.4
3 - 1/2"	3/4"		8.60	67.8		.225"	#4	1.46	80.8
(3.500")	5/8"		6.13	72.0		.207"	#5	1.25	82.1
	<b>1/2"</b>		<b>4.03</b>	<b>76.6</b>		.192"	#6	1.08	83.2
	7/16"		3.13	79.0		.177"	#7	.92	84.4
	3/8"		2.33	81.6	1 7/8"	<b>.375"</b>		<b>4.07</b>	<b>69.4</b>
	5/16"		1.65	84.3	(1.875")				
	.244"	#3	1.07	87.4	1 - 3/4"	5/8"		10.88	54.3
3 - 1/4"	3/4"		9.16	66.0	(1.750")	1/2"		7.29	60.5
(3.250")	5/8"		6.54	70.3		7/16"		5.71	64.0
	1/2"		4.31	75.1		<b>3/8"</b>		<b>4.30</b>	<b>67.8</b>
	7/16"		3.35	77.6		<b>5/16"</b>		<b>3.07</b>	<b>72.0</b>
	3/8"		2.50	80.4		<b>.244"</b>	#3	<b>2.02</b>	<b>77.0</b>
	5/16"		1.76	83.2		.225"	#4	1.65	78.5
	.244"	#3	1.15	86.5		.207"	#5	1.41	80.0
						.192"	#6	1.22	81.2
						.177"	#7	1.04	82.5

***In-stock items shown in Red.  
Ready for immediate shipment.***

## Square Opening Space Cloth

Opening Width	Wire Diameter	Gauge	Weight Lb/Sq. Ft.	% Open Space to Area	Opening Width	Wire Diameter	Gauge	Weight Lb/Sq. Ft.	% Open Space to Area	
1/2" (.500")	3/8"		11.19	32.7	1/4" (.250")	.225"	#4	7.55	27.7	
	5/16"		8.24	37.9		.207"	#5	6.59	29.9	
	.244"	#3	5.62	45.2		.192"	#6	5.82	32.0	
	.225"	#4	4.68	47.6		.177"	#7	5.08	34.3	
	.207"	#5	4.04	50.0		.162"	#8	4.38	36.8	
	.192"	#6	3.54	52.2		.148"	#9	3.76	39.5	
	.177"	#7	3.06	54.5		.135"	#10	3.21	42.2	
	.162"	#8	2.61	57.0		.120"	#11	2.62	45.7	
	.148"	#9	2.22	59.5		.105"	#12	2.07	49.6	
	.135"	#10	1.88	62.0		.092"	#13	1.64	53.4	
	.120"	#11	1.51	65.0		.080"	#14	1.28	57.4	
	.105"	#12	1.18	68.3		.072"	#15	1.06	60.3	
7/16" (.4375")	5/16"		903	334.0	7/32" (.21875)	.063"	#16	.83	63.8	
	.244"	#3	6.19	41.2		.192"	#6	6.39	28.4	
	.225"	#4	5.16	43.6		.177"	#7	5.60	30.6	
	.207"	#5	4.47	46.1		.162"	#8	4.64	33.0	
	.192"	#6	3.92	48.3		.148"	#9	4.16	35.6	
	.177"	#7	3.40	50.7		.135"	#10	3.56	38.2	
	.162"	#8	2.90	53.3		.120"	#11	2.92	41.7	
	.148"	#9	2.47	55.8		.105"	#12	2.32	45.7	
	.135"	#10	2.09	58.4		.092"	#13	1.84	49.6	
	.120"	#11	1.69	61.6		.080"	#14	1.44	53.6	
	.105"	#12	1.33	65.0		.072"	#15	1.20	56.6	
	3/8" (.375")	5/16"		9.99		29.8	3/16" (.1875")	.063"	#16	.94
.244"		#3	6.89	36.7	.054"	#17		.71	64.3	
.225"		#4	5.77	39.1	.162"	#8		5.30	28.8	
.207"		#5	5.00	41.5	.148"	#9		4.57	31.2	
.192"		#6	4.39	43.7	.135"	#10		3.92	33.8	
.177"		#7	3.82	46.2	.120"	#11		3.22	37.2	
.162"		#8	3.27	48.8	.105"	#12		2.56	41.1	
.148"		#9	2.79	51.4	.092"	#13		2.04	45.0	
.135"		#10	2.37	54.1	.080"	#14		1.60	49.1	
.120"		#11	1.92	57.4	.072"	#15		1.33	52.2	
.105"		#12	1.51	61.0	.063"	#16		1.05	56.0	
.092"		#13	1.18	64.5	.054"	#17		.79	60.3	
5/16" (.3125")		.244"	#3	7.78	31.5	5/32" (.15625")		.047	#18	.62
	.225"	#4	6.53	33.8	.041		#19	.48	67.3	
	.207"	#5	5.68	36.2	.120"		#11	3.75	32.0	
	.192"	#6	5.00	38.4	.105"		#12	2.97	35.8	
	.177"	#7	4.36	40.8	.092"		#13	2.38	39.6	
	.162"	#8	3.74	43.4	.080"		#14	1.88	43.7	
	.148"	#9	3.20	46.1	.072"		#15	1.56	46.9	
	.135"	#10	2.72	48.8	.063"		#16	1.24	50.8	
	.120"	#11	2.21	52.2	.054"		#17	.94	55.2	
	.105"	#12	1.74	56.0	.047"		#18	.74	59.1	
	.092"	#13	1.37	59.7	.041"		#19	.58	62.7	
	.080"	#14	1.07	63.4	1/8" (.125")		.105"	#12	3.37	29.5
	.072"	#15	.88	66.1			.092"	#13	2.71	33.2
.063"	#16	.69	69.3	.080"		#14	2.15	37.2		
9/32" (.28125")	.244"	#3	8.14	28.7		.072"	#15	1.79	40.3	
	.225"	#4	7.04	30.9		.063"	#16	1.43	44.2	
	.207"	#5	6.14	33.2		.054"	#17	1.09	48.8	
	.192"	#6	5.41	35.3		.047"	#18	.85	52.8	
	.177"	#7	4.72	37.7		.041"	#19	.67	56.7	
	.162"	#8	4.08	40.3		.035"	#20	.50	61.0	
	.148"	#9	3.48	42.9		3/32" (.09375")	.080"	#14	2.50	29.1
	.135"	#10	2.97	45.7			.072"	#15	2.17	32.0
	.120"	#11	2.42	49.1			.063"	#16	1.70	35.8
	.105"	#12	1.95	53.0			.054"	#17	1.35	40.3
	.092"	#13	1.55	56.8	.047"		#18	1.04	44.4	
	.080"	#14	1.18	60.6	.041"		#19	.84	48.4	
	.072"	#15	.97	63.4	.035"		#20	.65	53.0	
.063"	#16	.76	66.7	.032"	#21		.54	55.6		

## Square Opening Space Cloth

Opening Width	Wire Diameter	Gauge	Weight Lb/Sq. Ft.	% Open Space to Area	Opening Width	Wire Diameter	Gauge	Weight Lb/Sq. Ft.	% Open Space to Area
1 - 5/8' (1.625")	5/8"		11.58	52.2	1" (1.000")	1/2"		11.25	44.4
	1/2"		7.77	58.5		7/16"		8.91	48.4
	7/16"		6.10	62.1		3/8"		<b>6.79</b>	<b>52.9</b>
	3/8"		<b>4.60</b>	<b>66.0</b>		5/16"		<b>4.90</b>	<b>58.0</b>
	5/16"		3.29	70.3		.244"	#3	<b>3.26</b>	<b>64.6</b>
	.244"	#3	2.17	75.6		.225"	#4	<b>2.69</b>	<b>66.6</b>
	.225"	#4	1.77	77.2		.207"	#5	2.31	68.6
	.207"	#5	.152	78.7		.192"	#6	<b>2.01</b>	<b>70.4</b>
1 - 1/2" (1.500")	.192"	#6	1.31	80.0	.177"	#7	1.72	72.2	
	.177"	#7	1.12	81.3	.162"	#8	<b>1.46</b>	<b>74.1</b>	
	5/8"		12.27	49.8	.244"	#3	<b>3.45</b>	<b>62.9</b>	
	1/2"		<b>8.25</b>	<b>56.3</b>	15/16" (.9375)				
	7/16"		6.48	59.9	7/8" (.875")	7/16"		9.84	44.4
	3/8"		<b>4.90</b>	<b>64.0</b>	3/8"		7.52	49.0	
	5/16"		<b>3.50</b>	<b>68.5</b>	5/16"		5.44	54.3	
	.244"	#3	<b>2.31</b>	<b>74.0</b>	.244"	#3	<b>3.64</b>	<b>61.1</b>	
1 - 3/8" (1.375")	.225"	#4	1.89	75.6	.225"	#4	<b>3.01</b>	<b>63.3</b>	
	.207"	#5	1.62	77.2	.207"	#5	2.58	65.4	
	.192"	#6	1.40	78.6	.192"	#6	<b>2.25</b>	<b>67.2</b>	
	.177"	#7	1.20	80.0	.177"	#7	1.93	69.2	
	.162"	#8	1.02	81.5	.162"	#8	1.64	71.2	
	5/8"		13.10	47.3	.148"	#9	1.38	73.2	
	1/2"		8.83	53.8	.120"	#11	.93	77.3	
	7/16"		6.95	57.6	13/16" (.813")	3/4" (.750")	<b>2.07"</b>	<b>#5</b>	<b>2.76</b>
1 - 1/4" (1.250")	3/8"		<b>5.26</b>	<b>61.7</b>	3/8"		8.44	44.4	
	5/16"		3.77	66.4	5/16"		6.13	49.8	
	.244"	#3	2.49	72.1	.244"	#3	<b>4.12</b>	<b>56.9</b>	
	.225"	#4	2.04	73.9	.225"	#4	<b>3.41</b>	<b>59.2</b>	
	.207"	#5	1.75	75.5	.207"	#5	<b>2.93</b>	<b>61.4</b>	
	.192"	#6	1.52	77.0	.192"	#6	<b>2.56</b>	<b>63.4</b>	
	.177"	#7	1.30	78.5	.177"	#7	2.20	65.5	
	.162"	#8	1.10	80.0	.162"	#8	<b>1.87</b>	<b>67.6</b>	
1 - 1/8" (1.125")	5/8"		14.06	44.4	.148"	#9	<b>1.56</b>	<b>69.8</b>	
	1/2"		9.51	51.0	.135"	#10	<b>1.33</b>	<b>71.8</b>	
	7/16"		7.50	54.9	.120"	#11	1.07	74.3	
	3/8"		<b>5.69</b>	<b>59.2</b>	5/8" (.625")	3/8"	9.61	39.1	
	5/16"		<b>4.08</b>	<b>64.0</b>	5/16"		7.03	44.4	
	.244"	#3	<b>2.70</b>	<b>70.0</b>	.244"	#3	4.76	51.7	
	.225"	#4	2.22	71.8	.225"	#4	<b>3.94</b>	<b>54.1</b>	
	.207"	#5	1.90	73.6	.207"	#5	3.40	56.4	
1 - 1/16" (1.063")	.192"	#6	1.65	75.1	.192"	#6	<b>2.97</b>	<b>58.5</b>	
	.177"	#7	1.42	76.7	.177"	#7	2.56	60.7	
	.162"	#8	1.20	78.4	.162"	#8	<b>2.18</b>	<b>63.1</b>	
	1/2"		10.30	47.9	.148"	#9	1.85	65.4	
	7/16"		8.14	51.8	.135"	#10	<b>1.56</b>	<b>67.6</b>	
	3/8"		<b>6.19</b>	<b>56.3</b>	.120"	#11	<b>1.25</b>	<b>70.4</b>	
	5/16"		<b>4.45</b>	<b>61.2</b>	.105"	#12	.98	73.3	
	.244"	#3	<b>2.96</b>	<b>67.5</b>	9/16" (.5625)	3/8"	10.41	36.0	
1 - 1/8" (1.125")	.225"	#4	2.43	69.4	5/16"		7.64	41.3	
	.207"	#5	2.08	71.3	.244"	#3	5.19	48.6	
	.192"	#6	1.81	73.0	.225"	#4	4.31	51.0	
	.177"	#7	1.55	74.7	.207"	#5	3.72	53.4	
	.162"	#8	1.32	76.4	.192"	#6	<b>3.26</b>	<b>55.6</b>	
	1/2"		10.30	47.9	.177"	#7	2.81	57.6	
	7/16"		8.14	51.8	.162"	#8	2.40	60.3	
	3/8"		<b>6.19</b>	<b>56.3</b>	.148"	#9	2.04	62.7	
	5/16"		<b>4.45</b>	<b>61.2</b>	.135"	#10	1.72	65.0	
	.244"	#3	<b>2.96</b>	<b>67.5</b>	.120"	#11	1.38	67.9	
	.225"	#4	2.43	69.4	.105"	#12	1.08	71.0	
	.207"	#5	2.08	71.3					

***In-stock items shown in Red.  
Ready for immediate shipment.***